

COVID-19 Health Evidence Summary No.52

Kerry Millington & Samantha Reddin Liverpool School of Tropical Medicine (LSTM) & Institute of Development Studies 02 June 2020

This daily COVID-19 Health Evidence Summary is to signpost DFID and other UK government departments to the latest relevant evidence and discourse on COVID-19 to inform and support their response. It is a result of 3 hours of work and is not intended to be a comprehensive summary of available evidence on COVID-19 but aims to make original documents easily accessible to decision makers which, if relevant to them, they should go to before making decisions.

Epidemiology and modelling

| Publication date | Title/URL | Journal/Article type | Summary | Keywords |
|------------------|---|----------------------------------|--|-------------|
| 29.05.20 | Statistical analysis of the impact of environmental temperature on the exponential growth rate of cases infected by COVID-19 | PLOS One/ Research article | statistical analysis for understanding the effect of the environmental temperature on the exponential growth rate of the cases infected by COVID-19 for US and Italian regions. The results clearly support the first reported statistically significant relationship of negative correlation between the average environmental temperature and exponential growth rates of the infected cases. | Growth rate |

Infection Prevention and Control

| Publication date | Title/URL | Journal/Article type | Summary | Keywords |
|------------------|--|----------------------|--|----------------------------|
| 01.06.20 | Physical distancing, face masks, and eye protection to prevent person-to-person transmission of SARS-CoV-2 and COVID-19: a systematic review and meta-analysis | The Lancet | Systematic review and meta-analysis to investigate the optimum distance for avoiding person-to-person virus transmission and to assess the use of face masks and eye protection to prevent transmission of viruses. The findings of this systematic review and meta-analysis support physical distancing of 1 m or more and provide quantitative estimates for models and contact tracing to inform policy. Optimum use of face masks, respirators, and eye protection in public and health-care settings should be informed by these findings and contextual factors. Robust randomised trials are needed to better inform the evidence for these interventions, but this systematic appraisal of currently best available evidence might inform interim guidance. | Face masks, eye protection |

Social Science

| Publication date | Title/URL | Journal/Article type | Summary | Keywords |
|------------------|---------------------------------------|----------------------------------|------------------|------------------|
| 29.05.20 | Initial psychological impact of | PLOS one/ research article | an online survey | Mental health |

| COVID-19 and its correlates in Indian Community: An online (FEEL- COVID) survey | 1106 responses from around 64 cities in the country During the initial stages of COVID-19 in India, almost one-third respondents had a significant psychological impact. This indicates a need for more systematic and longitudinal assessment of psychological needs of the population, which can help the government in formulating holistic interventions for affected individuals. | |
|---|---|--|
|---|---|--|

Comments, Editorials, Opinions, Blogs, News

| Publication date | Title/URL | Journal Article type | Author(s) |
|------------------|--|---|---|
| 25.05.20 | Complexity and fragility: realising the SDGs in The face of Covid-19 | 4SD/ brief | David Nabarro |
| 28.305.20 | Research on covid-19 is suffering "imperfect incentives at every stage" | BMJ/ Blog | Stephen Armstrong |
| 01.06.20 | Obstacles to COVID-19 control in east Africa | Lancet Infectious Diseases/ Newsdesk | Esther Nakkazi |
| 01.06.20 | Food insecurity will be the sting in the tail of COVID-19 | Lancet Global Health/ Editorial | |
| 01.06.20 | COVID-19 effect on mental health: patients and workforce | Lancet Psychiatry / Comment | Victor Pereira- Sanchez, Frances Adiukwu et al |
| 01.06.20 | Death threats in Brazil after a trial on chloroquine for COVID-19 | Lancet Infectious Diseases/ Newsdesk | Estella Ektorp |

| 30.05.20 | Fears of "highly catastrophic" COVID-19 spread in Yemen | Lancet / World Report | Sharmila Devi |
|----------|--|---------------------------|--------------------------------------|
| 30.05.20 | COVID-19 strains remote regions of Peru | Lancet / World Report | Barbara Fraser |
| 30.05.20 | COVID-19 in Africa: no room for complacency | Lancet/ Editorial | |
| 01.06.20 | Covid-19 hot spots appear across Latin America | BMJ/ News | Owen Dyer |
| | Comment on "COVID-19 Preparedness Within the Surgical, Obstetric, and Anesthetic Ecosystem in Sub Saharan Africa" | Annals of Surgery/ Letter | Starr, Nichole; Weiser, Thomas |
| 29.05.20 | Facing mental health fallout from the coronavirus pandemic | WHO / News | |

Dashboards & Trackers

| Cases & deaths: Global | Cases & deaths: Regional | Cases & deaths: Country | Living evidence & policy maps | Current research including trials | Diagnosti cs | Treatment s | Vaccin es |
|---------------------------|-----------------------------|----------------------------|--|---|--|--|----------------------------|
| WHO sitreps | WHO Africa | Ghana | COVID- NMA | WHO | FIND SARS- CoV-2 Test Tracker | Global COVID-19 Clinical Trial Tracker | CEPI |
| WHO dashboard | African Argumen ts | Indonesi a | EPPI Centre | Clinical Trials Registry | FIND SARS- CoV-2 Diagnostic s: performanc e data | clinical trials | Vaccine Centre LSHTM |

| Johns Hopkins University | Europea n CDC | Nigeria CDC | Norwegian Institute of Public Health | Cytel | Serology- based tests for COVID-19 | Solidarity trial | COVID- 19 Oxford Vaccine Trial |
|-----------------------------------|------------------|-----------------|--|------------------------|---|---|--|
| WEF | | Sierra Leone | Oxford C19 Governme nt Response Tracker (OxCGRT) | US NIH | C19 Testing | COVID- 19 Therapeuti cs Accelerator | |
| Our World in Data | | Singapor e | Our World in Data: C19 Policy responses | evidence | | | |
| Global 5050 | | UK | IFPRI COVID-19 Policy Response Portal | Cochrane | | | |
| CEBM, University of Oxford | | US | | Clinicaltrials.g ov | | | |
| Humanitari an Data Exchange | | | | UKCDR | | | |
| Information is Beautiful | | | | | | | |
| LSHTM | | | | | | | |
| HealthMap (cases) | | | | | | | |

| The Commons | | | | |
|-------------|--|--|--|--|
| Project | | | | |

C19 Resource Hubs

| Global | Regional & Country | Academi c journals & Publisher s | Institutes/Centres/Funders/ Other | Health Topics | Social Sciences |
|--|---------------------------------------|---|--|--|--|
| WHO COVID-19 pandemic | Africa CDC | Annals of Internal Medicine | LSTM | Stop TB Partnership | SSHAP |
| WHO risk communicati on | African Union | BMJ | LSHTM | | IDA |
| WHO Q&A | Nigeria CDC | Bulletin of the WHO | ICL MRC Centre for Global Infectious Disease Analysis | Global Menstrual Collective | Disability and inclusion |
| WHO Global research | GeoPoll: SSA | Cambrid ge Universit y Press | ODI | SLH: Handwashi ng in low resource settings | Coregrou p IDDC |
| COVID-19 Solidarity Response Fund | Global Health Network Africa | Cell Press | Johns Hopkins University | RBM Partnership | Ethics, health systems & COVID-19 |
| UN | African Academy of Sciences | Cochran e | Center for Global Development | | Social Developm ent Direct C19 blog series |

| UN Women | Africa Evidence Network | Elsevier | CMMID Repository | |
|---------------------------|--|--|---|--|
| UNOCHA | OCHA Southern and Eastern Africa COVID-19 Digest | JAMA Network | Norwegian Institute of Public Health | |
| UNHCR | South African Governme nt | The Lancet | Oxford Centre for Evidence-based Medicine | |
| UNICEF | | medRxiv and bioRxiv (Preprint s) | HEART | |
| UNESCO | | NEJM | UKRI | |
| UN WFP | | Oxford Universit y Press | Evidence Aid | |
| GOARN | | PLoS | NIH | |
| EPI-WIN | | SAGE journals | IFPRI Resources and Analyses of C19 Impact | |
| World Bank | | Science | Prevent Epidemics | |
| Our World in Data | | Springer Nature | | |
| COVID-19 Narratives by | | SSRN (Preprint s) | | |

| David Nabarro | | | |
|--|-------|--|--|
| Reliefweb | Wiley | | |
| Humanitarian OpenStreetM ap Team | | | |
| Global Partnership for Sustainable Development Data | | | |
| WorldPop | | | |
| Flowminder | | | |
| COVID-END | | | |
| Premise COVID-19 Global Impact Study | | | |

Online learning & events

| Date | Title/URL | Online learning/event | Duration | Lead |
|------------|---|--------------------------|----------------|------|
| 16.06.2020 | Africa beyond COVID- 19 | Virtual event | 1h 30 hours | ODI |
| 15.06.2020 | Poverty monitoring in the context of Covid- | Virtual event | 1h 15 | ODI |

| Available now | COVID-19: Effective Nursing in Times of Crisis | Online course | 2 weeks – 2 hours per week | Johns Hopkins School of Nursing |
|--|--|--------------------|---|---|
| 04.06.2020 12pm ET | CGD Conversations on COVID-19 and Development: John Nkengasong | Event | | CGD |
| Available now | WHO Academy and WHO Info mobile applications | Mobile app | | WHO |
| Available now | COVID-19: Pandemics, Modelling and Policy | Online learning | 2 weeks 2 hours weekly study | FutureLearn UNESCO UNITWIN Complex Systems Digital Campus/Open University |
| 11.5.2020 | COVID-19 Contact Tracing course | Online learning | 5 hours | Johns Hopkins Bloomberg School of Health |
| 7-28 May 2020 | Virtual Evidence Weeks | 5 sessions | 1h 30 | International Initiative for Impact Evaluation (3ie) |
| Tuesdays at 1700 CEST (Geneva time) & Thursdays 0830 CEST (Geneva time) | COVID-19 Open online brief with Dr David Nabarro | Event | 1h | 4SD |
| 30.04.2020 | Professor Chris Whitty's Gresham lecture on COVID-19 | Event | 1h 20 | Gresham College |
| Available now | Emerging respiratory viruses, including COVID-19: methods for detection, | Online learning | 3 hours | WHO |

| | prevention, response and control | | | |
|---|---|--------------------|---|---|
| Available now | Responding to COVID-19: Real-time training for the coronavirus disease outbreak | Online learning | Multiple self-paced course | WHO |
| 25 May 2020 | COVID-19: Tackling the Novel Coronavirus | Online learning | 3 weeks 4 hours weekly study | FutureLearn LSHTM/UK PHRST |
| Available online now without mentors. Updated version will commence early June 2020 | COVID-19 Diagnostics and Testing | Online learning | 3 weeks 3 hours weekly study | FutureLearn FIND/LSHTM/ASLM |
| 6 April 2020 | COVID-19 Critical Care: Understanding and Application | Online learning | 5 weeks 1 hour weekly study | FutureLearn University of Edinburgh & Royal College of Physicians of Edinburgh |
| Available now | COVID-19 supporting online courses | Online learning | Multiple self-paced course | BMJ Learning |

Suggested citation

Millington, K.A. and Reddin, S. (2020). *COVID-19 Health Evidence Summary No.52*. K4D Evidence Summary. Brighton, UK: Institute of Development Studies.

Rapid review methodology

The rapid daily search for peer-reviewed literature is carried out through a PubMed search with the following keywords ("COVID-19" OR "severe acute respiratory syndrome coronavirus 2" OR "2019-nCoV" OR "SARS-CoV-2" OR "2019nCoV" OR "coronavirus") AND ("Africa") OR ("equity" OR "equities") OR ("poverty"), restricted to articles published in the previous 2 to 3 days, in English. This is complemented by a search of the homepage of

the following high-impact global health journals: The Lancet journals, New England Journal of Medicine, Nature, JAMA, Annals of Internal Medicine, Cochrane Reviews, BMJ Global Health, the PLoS journals and a Twitter search of their Twitter pages. A search also of preprints from bioRxiv and medRxiv. Please note that papers that have not been peer-reviewed are highlighted in red. All primary research papers that relate to the primary and secondary impacts of the COVID-19 response in LMICs, and disease control and health system responses are included. Articles related to tackling the secondary impacts on other sectors are not included. Additional commentaries, opinions, and commissioned pieces are selected based on relevance.

The search for dashboards, guidelines, tools, editorials, comments, blogs, opinions and news is through the academic journals listed above, C19 resource hubs and following lead academics and professionals on Twitter.

About this report

This daily COVID-19 health evidence summary (HES) is based on 3 hours of desk-based research. The summary is not intended to be a comprehensive summary of available evidence on COVID-19 but aims to make original documents easily accessible to decision makers which, if relevant to them, they should go to before making decisions. The HES are not intended to replace medical or professional advice and the researcher or the K4D consortium cannot be held responsible for any decisions made about COVID-19 on the basis of the HES alone. K4D services are provided by a consortium of leading organisations working in international development, led by the Institute of Development Studies (IDS), with Education Development Trust, Itad, University of Leeds Nuffield Centre for International Health and Development, Liverpool School of Tropical Medicine (LSTM), University of Birmingham International Development Department (IDD) and the University of Manchester Humanitarian and Conflict Response Institute (HCRI).

This evidence summary was prepared for the UK Government's Department for International Development (DFID) and its partners in support of pro-poor programmes. It is licensed for non-commercial purposes only. K4D cannot be held responsible for errors, omissions or any consequences arising from the use of information contained in this health evidence summary. Any views and opinions expressed do not necessarily reflect those of DFID, K4D or any other contributing organisation.



© DFID - Crown copyright 2020.