

COVID-19 Health Evidence Summary No.77

Kerry Millington & Samantha Reddin Liverpool School of Tropical Medicine (LSTM) & Institute of Development Studies 01 July 2020

This daily COVID-19 Health Evidence Summary is to signpost DFID and other UK government departments to the latest relevant evidence and discourse on COVID-19 to inform and support their response. It is a result of 3 hours of work and is not intended to be a comprehensive summary of available evidence on COVID-19 but aims to make original documents easily accessible to decision makers which, if relevant to them, they should go to before making decisions.

Clinical characteristics and management

Publication date	Title/URL	Journal/Article type	Summary	Keywords
30.06.2020	Management of Mothers and Neonates in Low Resources Setting During covid-19 Pandemia	The Journal of Maternal-Fetal & Neonatal Medicine	This perspective aims to provide practical support for the planning of delivery, resuscitating, stabilizing, and providing postnatal care to an infant born to a mother with suspected or confirmed COVID-19 in low-resource settings where resources for managing emergency situations are limited.	Mothers, neonates

Epidemiology and modelling

Publication date	Title/URL	Journal/Article type	Summary	Keywords
July 2020	Analyzing COVID-19 pandemic for unequal	Diabetes & Metabolic Syndrome: Clinical	 This review, identifies cases and deaths in 18 most affected countries by COVID-19 cases and analyses possible factors 	Age, testing

distribution of tests, identified cases, deaths, and fatality rates in the top 18 countries	Research & Reviews	for the differing fatality rates. Countries with significant percentage of older population are vulnerable to a high number of deaths due to COVID-19. Developed countries have higher per capita testing, whereas testing is less intensive in developing/underdeveloped countries. There is a consensus among health experts that COVID-19 has higher fatality rates for people above 60, however, with further age, this increases exponentially. Countries with higher life expectancy are also highincome countries, and the best course of action would be to provide specialized support to self-isolate for people of ages 75 and above.	
---	--------------------	---	--

Infection Prevention and Control

Publication date	Title/URL	Journal/Article type	Summary	Keywords
30.06.2020	Stability of SARS-CoV-2 and Other Coronaviruses in the Environment and on Common Touch Surfaces and the Influence of Climatic Conditions: A Review	Transboundary and emerging diseases	The findings suggest a possible risk of fecal-oral, foodborne, and waterborne transmission of SARS-CoV-2 in developing countries that often use sewage-polluted waters in irrigation and have poor water treatment systems. CoVs survive longer in the environment at lower temperatures and lower relative humidity. It has been suggested that large numbers of COVID-19 cases are associated with cold and dry climates in	Surfaces, climate

1	temperate regions of the	
	world and that seasonality	
	of the virus spread is	
	suspected.	

Indirect impact of COVID-19

Publication date	Title/URL	Journal/Article type	Summary	Keywords
19.06.2020	Increase in the Risk of Type 2 Diabetes During Lockdown for the COVID19 Pandemic in India: A Cohort Analysis	Diabetes and metabolic syndrome	 Lockdown due to the Coronavirus disease 2019 (COVID 19) pandemic may cause weight gain and enhance the risk of type 2 diabetes mellitus (T2DM). We aimed to determine this risk in apparently non-diabetic individuals. There was a trend towards weight gain seen in 40% of the cohort, with 16% of the population experiencing a 2.1-5 kg weight increment. When all the risk parameters were analyzed together using the ADA risk engine, there was an increase in the ADA diabetes risk score in 7% of the population, with 6.66% in the high-risk group. There was a further increase in weight among 3% of the population who were already obese at baseline. 	Diabetes
29.06.2020	Impact of COVID-19 Pandemic on Paediatric Services at a Referral Centre in Pakistan: Lessons From a Low- Income and Middle- Income	Archives of Disease in Childhood	 Recommendations: paediatric healthcare providers must ensure that a safe clinic and hospital environment is created for children with both COVID- 19 and non-COVID-19 related illnesses so that essential preventive care and health maintenance can be provided to children during this time. It is essential to continue to spread public health awareness messages about how to prevent COVID-19 	Children, Pakistan

Country Setting	infection and about the importance of routine immunisations and seeking appropriate advice from healthcare providers when necessary.
	If parents are reassured that healthcare providers will follow standard operating procedures and will wear and provide appropriate PPEs, they may be more likely to seek appropriate and timely care for their children.

Comments, Editorials, Opinions, Blogs, News

Publication date	Title/URL	Journal Article type	Author(s)
29.06.2020	Covid-19: Oxford Team Begins Vaccine Trials in Brazil and South Africa to Determine Efficacy	BMJ News	Elisabeth Mahase
30.06.2020	The line is forming for a COVID-19 vaccine. Who should be at the front?	Science News	Jon Cohen

Dashboards & Trackers

Cases & deaths: Global	Cases & deaths:	evidence &	Current research including trials	Diagnostics	Treatments	Vaccines
WHO sitreps	WHO Africa	COVID- NMA	WHO	2 Test	Global COVID-19 Clinical Trial Tracker	CEPI
WHO dashboard	African Arguments	Centre	WHO International Clinical Trials Registry		registered	Vaccine Centre LSHTM

				Platform (ICTRP)	performance data		
Johns Hopkins University	European CDC	_	Norwegian Institute of Public Health	Cytel	Serology- based tests for COVID- 19	Solidarity trial	COVID- 19 Oxford Vaccine Trial
WEF		Sierra Leone	Oxford C19 Government Response Tracker (OxCGRT)			COVID-19 Therapeutics Accelerator	
Our World in Data		Singapore		COVID- evidence			
Global 5050		UK	IFPRI COVID-19 Policy Response Portal	Cochrane			
CEBM, University of Oxford		US	COVID-19 Primer	Clinicaltrials.gov			
Humanitarian Data Exchange			NIH LitCovid	UKCDR			
Information is Beautiful			WHO COVID-19 Database				
LSHTM							
HealthMap (cases)							

The				
Commons				
Project				

C19 Resource Hubs

Global	Regional & Country	Academic journals & Publishers	Institutes/Centres /Funders/Other	Health Topics	Social Sciences
WHO COVID- 19 pandemic	Africa CDC	Annals of Internal Medicine	LSTM	Stop TB Partnership	SSHAP
WHO risk communication	African Union	BMJ	LSHTM		IDA
WHO Q&A	Nigeria CDC	Bulletin of the WHO	ICL MRC Centre for Global Infectious Disease Analysis	Global Menstrual Collective	Disability and inclusion
WHO Global research	GeoPoll: SSA	Cambridge University Press	ODI	SLH: Handwashin g in low resource settings	Coregroup IDDC
COVID-19 Solidarity Response Fund	Global Health Network Africa	Cell Press	Johns Hopkins University	RBM Partnership	Ethics, health systems & COVID-19
UN	African Academy of Sciences	Cochrane	Center for Global Development		Social Development Direct C19 blog series
UN Women	Africa Evidence Network	Elsevier	CMMID Repository		

UNOCHA	OCHA Southern and Eastern Africa COVID-19 Digest	JAMA Network	Norwegian Institute of Public Health	
UNHCR	South African Government	The Lancet	Oxford Centre for Evidence-based Medicine	
UNICEF		medRxiv and bioRxiv (Preprints)	HEART	
UNESCO		NEJM	UKRI	
UN WFP		Oxford University Press	Evidence Aid	
GOARN		PLoS	NIH	
EPI-WIN		SAGE journals	IFPRI Resources and Analyses of C19 Impact	
World Bank		Science	Prevent Epidemics	
Our World in Data		Springer Nature		
COVID-19 Narratives by David Nabarro		SSRN (Preprints)		
Reliefweb		Wiley		

Humanitarian OpenStreetMap Team			
Global Partnership for Sustainable Development Data			
WorldPop			
Flowminder			
COVID-END			
Premise COVID-19 Global Impact Study			
GISAID			

Online learning & events

Date	Title/URL	Online learning/event	Duration	Lead
30.06.2020 1000 BST	Clinical update: dexamethasone and hydroxychloroquine for treatment of severe COVID-19	Webinar		African Academy of Sciences
26.06.2020 0900 to 1030 EDT	Monitoring and mitigating the collateral effects of COVID-19	Online event	1h 30	CGD
13 July 3:00 PM –	2020 UCL-Lancet Lecture: Global Health Preparedness by Dr	Online Lecture	2 hour lecture, 1	UCL, The Lancet

6:00 PM BST	Muhammad Pate, Global Director for Health, Nutrition and Population at the World Bank Group		hour panel discussion	
June 2020	OpenWHO, the free, open-access learning platform for health emergencies, now offers 10 online courses related to COVID19.	Online courses	Varies	WHO
24- 25.06.2020	Africa's leadership role in COVID-19 vaccine development and access	Zoom webinar		African Union & Africa CDC
Available now	Standard precautions: Environmental cleaning and disinfection	Online course	1 hour	WHO
Available now	COVID-19: Effective Nursing in Times of Crisis	Online course	2 weeks – 2 hours per week	Johns Hopkins School of Nursing
Available now	WHO Academy and WHO Info mobile applications	Mobile app		WHO
Available now	COVID-19: Pandemics, Modelling and Policy	Online learning	2 weeks 2 hours weekly study	FutureLearn UNESCO UNITWIN Complex Systems Digital Campus/Open University
12.05.2020	COVID-19 and maintaining quality essential health services	Webinar	1 hour	WHO & ISQua – Dr Shams Syed, Dr Peter Lachman, Dr Teri Rynolds & Dr Ed Kelley

11.5.2020	COVID-19 Contact Tracing course	Online learning	5 hours	Johns Hopkins Bloomberg School of Health
7-28 May 2020	Virtual Evidence Weeks	5 sessions	1h 30	International Initiative for Impact Evaluation (3ie)
Tuesdays at 1700 CEST (Geneva time) & Thursdays 0830 CEST (Geneva time)	COVID-19 Open online brief with Dr David Nabarro	Event	1h	4SD
30.04.2020	Professor Chris Whitty's Gresham lecture on COVID-19	Event	1h 20	Gresham College
Available now	Emerging respiratory viruses, including COVID-19: methods for detection, prevention, response and control	Online learning	3 hours	WHO
Available now	Responding to COVID- 19: Real-time training for the coronavirus disease outbreak	Online learning	Multiple self-paced course	WHO
25 May 2020	COVID-19: Tackling the Novel Coronavirus	Online learning	3 weeks 4 hours weekly study	FutureLearn LSHTM/UK PHRST
Available online now without mentors. Updated version will	COVID-19 Diagnostics and Testing	Online learning	3 weeks 3 hours weekly study	FutureLearn FIND/LSHTM/ASLM

commence early June 2020				
6 April 2020	COVID-19 Critical Care: Understanding and Application	Online learning	5 weeks 1 hour weekly study	FutureLearn University of Edinburgh & Royal College of Physicians of Edinburgh
Available now	COVID-19 supporting online courses	Online learning	Multiple self-paced course	BMJ Learning

Suggested citation

Millington, K.A. and Reddin, S. (2020). *COVID-19 Health Evidence Summary No.77*. K4D Evidence Summary. Brighton, UK: Institute of Development Studies.

Rapid review methodology

The rapid daily search for peer-reviewed literature is carried out through a PubMed search with the following keywords ("COVID-19" OR "severe acute respiratory syndrome coronavirus 2" OR "2019-nCoV" OR "SARS-CoV-2" OR "2019nCoV" OR "coronavirus") AND ("Africa") OR ("equity" OR "equities") OR ("poverty"), restricted to articles published in the previous 2 to 3 days, in English. This is complemented by a search of the homepage of the following high-impact global health journals: The Lancet journals, New England Journal of Medicine, Nature, JAMA, Annals of Internal Medicine, Cochrane Reviews, BMJ Global Health, the PLoS journals and a Twitter search of their Twitter pages. A search also of preprints from bioRxiv and medRxiv. Please note that papers that have not been peer-reviewed are highlighted in red. All primary research papers that relate to the primary and secondary impacts of the COVID-19 response in LMICs, and disease control and health system responses are included. Articles related to tackling the secondary impacts on other sectors are not included. Additional commentaries, opinions, and commissioned pieces are selected based on relevance.

The search for dashboards, guidelines, tools, editorials, comments, blogs, opinions and news is through the academic journals listed above, C19 resource hubs and following lead academics and professionals on Twitter.

About this report

This daily COVID-19 health evidence summary (HES) is based on 3 hours of desk-based research. The summary is not intended to be a comprehensive summary of available evidence on COVID-19 but aims to make original documents easily accessible to decision makers which, if relevant to them, they should go to before making decisions. The HES are not intended to replace medical or professional advice and the researcher or the K4D consortium cannot be held responsible for any decisions made about COVID-19 on the basis of the HES alone. K4D services are provided by a consortium of leading organisations working in international development, led by the Institute of Development Studies (IDS), with Education Development Trust, Itad, University of Leeds Nuffield Centre for International Health and Development, Liverpool School of Tropical Medicine (LSTM), University of Birmingham International Development Department (IDD) and the University of Manchester Humanitarian and Conflict Response Institute (HCRI).

This evidence summary was prepared for the UK Government's Department for International Development (DFID) and its partners in support of pro-poor programmes. It is licensed for non-commercial purposes only. K4D cannot be held responsible for errors, omissions or any consequences arising from the use of information contained in this health evidence summary. Any views and opinions expressed do not necessarily reflect those of DFID, K4D or any other contributing organisation.



© DFID - Crown copyright 2020.